

From: [Carr, Brian](#)
To: Juliana.Hess@CH2M.com
Subject: FW: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal
Date: Thursday, July 23, 2015 10:08:00 AM
Attachments: [2015-06-30 CSOPCM Cover Letter.pdf](#)
[CY2014 PCM Report 063015 Complete Report.pdf](#)

Hi,

I got this from our water folks. It doesn't have the Gowanus monitoring, but might be useful for Bill's collection.

I don't have his email handy, if you want to pass this on to him.

Thanks,

Brian E. Carr
Assistant Regional Counsel
United States Environmental Protection Agency
Region 2
Office of Regional Counsel
290 Broadway, 17th Floor
New York, NY 10007
212-637-3170 phone
212-637-3104 fax
carr.brian@epa.gov

From: Stephansen, Stanley
Sent: Thursday, July 23, 2015 9:59 AM
To: Carr, Brian
Cc: Gratz, Jeff
Subject: RE: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Hi Brian:

Here is a copy of the latest Post Construction Monitoring Report from the DEP. The report includes monitoring near the 4 existing CSO tanks; PCM for the Gowanus CSO controls may be added later.

The recently submitted CSO LTCP for the Gowanus includes monitoring information post-activation of the Flushing Tunnel, and this is probably what the City was talking about.

- Stan

From: Carr, Brian
Sent: Monday, July 20, 2015 2:57 PM
To: Stephansen, Stanley

Cc: Gratz, Jeff

Subject: RE: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Stan,

At EPA's meeting about a month ago with the DEP, they said that they would shortly be submitting a post-construction monitoring report for the Gowanus.

I was wondering if that was something we'd gotten a copy of yet, or expected soon, as it may be helpful to have.

Thanks,

Brian E. Carr
Assistant Regional Counsel
United States Environmental Protection Agency
Region 2
Office of Regional Counsel
290 Broadway, 17th Floor
New York, NY 10007
212-637-3170 phone
212-637-3104 fax
carr.brian@epa.gov

From: Stephansen, Stanley

Sent: Monday, July 06, 2015 4:45 PM

To: Mugdan, Walter; Carr, Brian; Tsiamis, Christos; Singerman, Joel; Garbarini, Doug; McCabe, Catherine; Enck, Judith; Matthews, Joan

Cc: Gratz, Jeff

Subject: FW: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Hi:

As requested, below is the link to download the Gowanus CSO LTCP. Please note the link expires on 7/7.

- Stan

Stan Stephansen
Clean Water Regulatory Branch
EPA Region 2
290 Broadway
New York, NY 10007-1866

Tel. 212-637-3776

From: Beckmann, Keith [<mailto:kbeckmann@dep.nyc.gov>]
Sent: Tuesday, June 30, 2015 7:51 PM
To: Kline, Gary E (DEC); DiMura, Joseph (DEC); Klotz, Mark A (DEC); Penner, Kaitlin (EFC); VonWergers, Mary (DEC); Elburn, Robert H (DEC); Allen, Linda J (DEC)
Cc: William Plache; Levine, Robin; Eckels, Marcella; Donnelly, Heather; Taylor, Janice B.; Petito, John; jmueller@dep.nyc.gov; Mahoney, Keith; Lee, Lily; Licata, Angela; Sapienza, Vincent; Deguelldre, Lindsay; Clarke, Kevin; Mahoney, Eileen; Weissbard, Ron
Subject: FW: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Please find the submittal for the Gowanus Canal LTCP as per the milestone date.

The links below are for download of the Gowanus Canal LTCP Report.

Thank you.

Keith W. Beckmann, P.E. | [Program Manager - LTCP](#) | NYC Environmental Protection |
Bureau of Wastewater Treatment
(O) 718-595-5009 | (C) 917-754-2424 | kbeckmann@dep.nyc.gov

This message is intended only for the use of the individual(s) or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately via email. Thank you for your cooperation.

This file will be available for download until 7/7/2015

<u>File</u>	<u>Description</u>	<u>Size</u>
CSO-LTCP_Gowanus_Canal_June_2015_LTCP_Final.pdf		16,436KB
Download all files (.zip)		

This is ready for submission to DEC. Hard copies to follow.